JC17 Rec'd PCT/PTO 14 JUN 2005

1. (original): A dye of formula

$$R_{2} = N$$

$$N = N$$

wherein R_1 is C_1 - C_{12} alkyl or $-C_nH_{2n}$ - $(OCH_2CH_2)_m$ - OR_3 , n being a number from 2 to 8, m being a number from 0 to 4 and R_3 being C_1 - C_{12} alkyl, C_6 - C_{24} aryl or C_6 - C_{24} aralkyl,

R₂ is methyl, ethyl, n-propyl, n-butyl, 2-methoxyethyl or 2-ethoxyethyl,

X is halogen and

Y is hydrogen, chlorine or bromine.

- 2. (original): A dye of formula (1) according to claim 1, wherein R₁ is methyl, ethyl or n-butyl.
- 3. (currently amended): A dye of formula (1) according to either claim 1-or claim 2, wherein R_2 is n-butyl.
- 4. (currently amended): A dye of formula (1) according to any one of the preceding claims claim 1, wherein X is bromine.
- 5. (currently amended): A dye of formula (1) according to any one of the preceding claims claim 1, wherein Y is hydrogen.
- 6. (original): A dye of formula (1a), (1b) or (1c)

$$C_4H_9-N$$
 C_4H_9-N
 C_4H

$$C_4H_9-N$$

$$R = N$$

$$R$$

7. (original): A process for the preparation of a dye of formula (1) according to claim 1, which comprises nitration of a phthalimide of formula

wherein R₂ is as defined in claim 1,

in the acid range, followed by alkylation of the resulting nitro compound and, by means of a reductive treatment, conversion into an intermediate of formula

$$R_2 = N$$

$$NH_2$$
(3),

halogenation of the intermediate of formula (3) in an acid medium and then diazotisation and coupling to a pyridone compound of formula (4)

$$H_3C$$
 CN $(4),$

wherein R₁ is as defined in claim 1.

- 8. (original): A dye mixture comprising at least two structurally different dyes of formula (1) according to claim 1.
- 9. (currently amended): A process for dyeing or printing semi-synthetic or synthetic hydrophobic fibre materials, in which process a dye of formula (1) according to claim 1-or a dye mixture according to claim 8 is applied to the said materials or incorporated into them.

- 10. (cancelled).
- 11. (currently amended): A semi-synthetic or-especially synthetic hydrophobic fibre material, more-especially a textile-material, dyed or printed by the process according to claim 9.
- 12. (new): A method of dyeing or printing semi-synthetic or synthetic hydrophobic fibre materials, which comprises contacting said fiber materials with at least one dye of formula (1) according to claim 1.